

## CLAIMS

1/ A fluid dispenser assembly comprising:

a fluid dispenser (1); and

5 a wrapper (2) encasing said dispenser at least in part, said wrapper defining at least one application zone (21, 26; 21', 26') for coming into contact with the dispenser;

10 said dispenser assembly being characterized in that the dispenser comprises a body (10) forming at least one substantially cylindrical segment, said segment defining an affixing zone for coming into contact with the application zone of the wrapper.

2/ A dispenser assembly according to claim 1, in which  
15 the wrapper (2) defines a substantially cylindrical recess for receiving the dispenser, said recess defining the application zone.

3/ A dispenser assembly according to claim 1, in which  
20 the wrapper comprises at least one sheet (20, 25; 20', 25') shaped to match the shape of the dispenser at least in part, said sheet defining at least one application zone.

25 4/ A dispenser assembly according to claim 1, in which the wrapper is made up of two sheets (20, 25; 20', 25') that are shaped to match the shape of the dispenser at least in part, each sheet defining at least one application zone.

30

5/ A dispenser assembly according to claim 4, in which the two sheets are connected together on either side of the dispenser substantially symmetrically about the dispenser.

35

6/ A dispenser assembly according to claim 4, in which the two sheets together define two junction zones (22, 27; 22', 27') situated on either side of the dispenser, the two zones extending in a common plane.

5

7/ A dispenser assembly according to claim 6, in which each of the junction zones forms a respective junction plane.

10 8/ A dispenser assembly according to claim 3, in which the application zone of a sheet extends substantially over nearly one half of the periphery of the substantially cylindrical segment.

15 9/ A dispenser assembly according to claim 3, in which at least one sheet has a face that is adhesive at least in part.

10/ A dispenser assembly according to claim 9, in which  
20 the application zone is coated with an adhesive.

11/ A dispenser assembly according to claim 9, in which the junction zone is coated with an adhesive.

25 12/ A dispenser assembly according to claim 1, in which the dispenser comprises a dispenser head (12) that projects from the wrapper, said head advantageously being capped by a removable protective cap (13) situated outside the wrapper.

30

13/ A dispenser assembly according to claim 7, in which the two sheets are disposed symmetrically about the junction plane.

14/ A dispenser assembly according to any claim 1, in which the wrapper comprises outer side edges (28) by which the assembly may be hold well in the hand.

5 15/ A dispenser assembly according to claim 1, in which the dispenser comprises a pump (14) and a dispenser head (12) mounted on the pump.

16/ A method of manufacturing a dispenser assembly  
10 according to claim 1, comprising the following steps:  
a) causing a dispenser comprising a body defining a substantially cylindrical segment forming an affixing zone to be brought between two sheets, at least one of which is adhesive in part; and  
15 b) exerting pressure to bring the two sheets into contact with each other and with the dispenser so that the adhesive sheet adheres to the other sheet and to the affixing zone on the dispenser.

20

17/ A method according to claim 16, in which at least one sheet is deformed during step (b).